

## List of Preprints (April 2017 – March 2018)

### RIKEN NC-NP

|     |   |   |
|-----|---|---|
| 178 | Atomic masses of intermediate-mass neutron-deficient nuclei with relative uncertainty down to 35-ppb via multireflection time-of-flight mass spectrograph | S. Kimura, Y. Ito <i>et al.</i>           |
| 180 | Hidden-charm and bottom meson-baryon molecules coupled with five-quark states   | Y. Yamaguchi, A. Giachino <i>et al.</i>   |
| 181 | Mesic nuclei with a heavy antiquark   | Y. Yamaguchi, S. Yasui                    |
| 182 | Testing the constant-temperature approach for the nuclear level density   | N. Dinh Dang, N. Quang Hung <i>et al.</i> |
| 183 | Level density and thermodynamics in the hot rotating $^{96}\text{Tc}$ nucleus   | B. Dey, D. Pandit <i>et al.</i>           |
| 184 | Bubble nuclei within the self-consistent Hartree-Fock mean field plus pairing approach  | L. Tan Phuc, N. Quang Hung, N. Dinh Dang  |
| 185 | Interplay between isoscalar and isovector correlations in neutron-rich nuclei   | I. Hamamoto, H. Sagawa                    |
| 186 | Development of co-located $^{129}\text{Xe}$ and $^{131}\text{Xe}$ nuclear spin masers with external feedback scheme                                       | T. Sato, Y. Ichikawa <i>et al.</i>        |
| 187 | Nuclear surface diffuseness revealed in nucleon-nucleus diffraction   | S. Hatakeyama, W. Horiuchi, A. Kohama     |

### RIKEN NC- AC

|  |                |  |
|--|----------------|--|
|  | Not Applicable |  |
|--|----------------|--|

### RIKEN MP

|  |                |  |
|--|----------------|--|
|  | Not Applicable |  |
|--|----------------|--|

### RIKEN QHP

|     |   |                                       |
|-----|---|---------------------------------------|
| 306 | Observation of an alternative $\chi_{c0}(2P)$ candidate in $e^+e^- \rightarrow J/\psi D\bar{D}$                 | K. Chilikin, I. Adachi <i>et al.</i>  |
| 307 | $p\bar{p}^-$ Correlation in relativistic heavy ion collisions with nucleon-hyperon interaction from lattice QCD | T. Hatsuda, K. Morita <i>et al.</i>   |
| 308 | Structure of virtual photon polarization in ultrarelativistic heavy-ion collisions                              | G. Baym, T. Hatsuda, M. Strickland    |
| 309 | Fully self-consistent relativistic Brueckner-Hartree-Fock theory for finite nuclei                              | S. Shen, H. Liang <i>et al.</i>       |
| 310 | The limits of the nuclear landscape explored by the relativistic continuum Hatree-Bogoliubov theory             | X. W. Xia, Y. Lim <i>et al.</i>       |
| 311 | Complete random matrix classification of SYK models with $N=0, 1$ and 2 supersymmetry                           | T. Kanazawa, T. Wettig                |
| 312 | Renormalization group flows of the $N$ -component Abelian Higgs model   | G. Fejos, T. Hatsuda                  |
| 313 | Dirac-mode expansion of quark number density and its implications of the confinement-deconfinement transition   | T. M. Doi, K. Kashiwa                 |
| 314 | Goldstino in supersymmetric Bose-Fermi mixtures in the presence of Bose Einstein condensate                     | J. P. Blaizot, Y. Hidaka, D. Satow    |
| 315 | Edge states and thermodynamics of rotating relativistic fermions under magnetic field                           | M. Chernodub, S. Gongyo               |
| 316 | From hadrons to quarks in neutron stars   | G. Baym, T. Hatsuda <i>et al.</i>     |
| 317 | Correlations of energy-momentum tensor via gradient flow in SU(3) Yang-Mills theory at finite temperature       | M. Kitazawa, T. Iritani <i>et al.</i> |
| 318 | Vortex continuity from the hadronic to the color-flavor locked phase  | M. Alford, G. Baym <i>et al.</i>      |

|     |  |   |
|-----|--|---|
| 319 | Sanity check for $NN$ bound states in lattice QCD with Lüscher's finite volume formula – Exposing Symptoms of Fake Plateaux –                                      | S. Aoki, T. Doi, T. Iritani               |
| 320 | Most strange dibaryon  | S. Gongyo, K. Sasaki <i>et al.</i>        |
| 321 | General formulae for dipole Wilson line correlators with the Color Glass Condensate  | K. Fukushima, Y. Hidaka                   |
| 322 | Hidden-charm and bottom meson-baryon molecules coupled with five-quark states  | Y. Yamaguchi, A. Giachino <i>et al.</i>   |
| 323 | Measurement of branching fraction and direct $CP$ asymmetry in charmless $B^+ \rightarrow K^+ K^- \pi^+$ decays at Belle   | C. L. Hsu, D. Dossett <i>et al.</i>       |
| 324 | Search for $CP$ violation and measurement of the branching fraction in the decay $D^0 \rightarrow K_S^0 K_S^0$   | N. Dash, S. Bahinipati <i>et al.</i>      |
| 325 | Production cross sections of hyperons and charmed baryons from $e^+ e^-$ annihilation near $\sqrt{s} = 10.52$ GeV  | M. Niiyama, M. Sumihama <i>et al.</i>     |
| 326 | Invariant-mass and fractional-energy dependence of inclusive production of di-hadrons in $e^+ e^-$ annihilation at $\sqrt{s} = 10.58$ GeV                          | R. Seidl, I. Adachi <i>et al.</i>         |
| 327 | Evidence for isospin violation and measurement of $CP$ asymmetries in $B \rightarrow K^*(892)\gamma$   | T. Horiguchi, A. Ishikawa <i>et al.</i>   |
| 328 | Search for $\Lambda_c^+ \rightarrow \phi p \pi^0$ and branching fraction measurement of $\Lambda_c^+ \rightarrow K^- \pi^+ p \pi^0$                                | F. Okiharu, T. Doi <i>et al.</i>          |
| 329 | Study of $\eta$ and dipion transitions in $\Upsilon(4S)$ decays to lower bottomonia  | E. Guido, R. Mussa <i>et al.</i>          |
| 330 | Angular analysis of the $e^+ e^- \rightarrow D^{(*)\pm} D^{*\mp}$ process near the open charm threshold using initial-state radiation                              | V. Zhukova, G. Pakhlova <i>et al.</i>     |
| 331 | Mesic nuclei with a heavy antiquark  | Y. Yamaguchi, S. Yasui                    |
| 332 | Functional renormalization group and Kohn-Sham scheme in density functional theory   | H. Liang, Y. Niu, T. Hatsuda              |
| 333 | Multi modification method toward solving sign problem  | T. M. Doi, S. Tsutsui                     |
| 334 | Electric conductivity of hot and dense quark matter in a magnetic field with Landau level resummation via kinetic equations  | K. Fukushima, Y. Hidaka                   |
| 335 | $\Lambda_c N$ interaction from lattice QCD and its application to $\Lambda_c$ hypernuclei  | T. Miyamoto, S. Aoki <i>et al.</i>        |
| 336 | Two-baryon systems from HAL QCD method and the mirage in the temporal correlation of the direct method   | T. Iritani, for HAL QCD Collaboration     |
| 337 | The $I = 2$ $\pi\pi$ s-wave scattering phase shift from lattice QCD  | S. R. Beane, E. Chang <i>et al.</i>       |
| 338 | Baryon interactions from lattice QCD with physical quark masses – Nuclear forces and $\Xi\Sigma$ forces –  | T. Doi, T. Iritani <i>et al.</i>          |
| 339 | Application of a Coulomb energy density functional for atomic nuclei: Case studies of local density approximation and generalized gradient approximation           | T. Naito, R. Akashi, H. Liang             |
| 340 | Baryon interactions from lattice QCD with physical masses – $S = -3$ sector: $\Xi\Sigma$ and $\Xi\Lambda - \Xi\Sigma$ –  | N. Ishii, S. Aoki <i>et al.</i>           |
| 341 | Baryon interactions from lattice QCD with physical masses – strangeness $S = -1$ sector –  | H. Nemura, S. Aoki <i>et al.</i>          |
| 342 | Comment on "Relation between scattering amplitude and Bethe-Salpeter wave function in quantum field theory"  | S. Aoki, T. Doi <i>et al.</i>             |
| 343 | Lattice QCD studies on baryon interactions in the strangeness $-2$ sector with physical quark masses   | K. Sasaki, S. Aoki <i>et al.</i>          |
| 344 | Matrix model with a topological effect   | T. Kanazawa, M. Kieburg, J. Verbaarschot  |
| 345 | Revised and improved value of the QED tenth-order electron anomalous magnetic moment   | T. Aoyama, T. Kinoshita, M. Nio           |
| 346 | Conformal quantum mechanics and sine-square deformation  | T. Tada                                   |
| 347 | Nuclear mass predictions based on Bayesian neural network approach with pairing and shell effects  | Z. M. Niu, H. Z. Liang                    |
| 348 | Search for $B^- \rightarrow \mu^- \bar{\nu}_\mu$ decays at the Belle experiment  | A. Sibidanov, K. E. Varvell <i>et al.</i> |
| 349 | Measurements of the absolute branching fractions of $B^+ \rightarrow X_{c\bar{c}} K^+$ and $B^+ \rightarrow \bar{D}^{(*)0} \pi^+$ at Belle                         | Y. Kato, T. Iijima <i>et al.</i>          |
| 350 | Measurement of the $\tau$ lepton polarization and $R(D^*)$ in the decay $B^- \rightarrow D^* \tau^- \bar{\nu}_\tau$ with one-prong hadronic $\tau$ decays at Belle | S. Kisaka, K. Asano <i>et al.</i>         |

|     |  |   |
|-----|--|---|
| 351 | Observation of excited $\Omega_c^0$ charmed baryons in $e^+e^-$ collisions   | J. Yelton, I. Adachi <i>et al.</i>      |
| 352 | Measurement of branching fractions of hadronic decays of the $\Omega_c^0$ baryon   | J. Yelton, I. Adachi <i>et al.</i>      |
| 353 | Search for light tetraquark states in $\Upsilon(1S)$ and $\Upsilon(2S)$ decays   | S. Jia, C. P. Shen <i>et al.</i>        |
| 354 | Study of $K_S^0$ pair production in single-tag two-photon collisions   | M. Masuda, S. Uehara <i>et al.</i>      |
| 355 | Observation of $\Xi_c(2930)^0$ and updated measurement of $B^- \rightarrow K^- \Lambda_c^+ \bar{\Lambda}_c^-$ at Belle           | Y. B. Li, C. P. Shen <i>et al.</i>      |
| 356 | Effects of tensor forces in nuclear spin-orbit splittings from ab initio calculations  | S. Shen, H. Liang <i>et al.</i>         |
| 357 | Gamow-Teller transitions from high-spin isomers in $N=Z$ nuclei  | H. Z. Liang, H. Sagawa <i>et al.</i>    |
| 358 | Combination of complex momentum representation and Green's function methods in relativistic mean-field theory                    | M. Shi, Z. M. Niu, H. Liang             |
| 359 | Spin susceptibility and effects of a harmonic trap in the BCS-BEC crossover regime of an ultracold Fermi gas                     | H. Tajima, R. Hanai, Y. Ohashi          |
| 360 | Superfluid Fermi atomic gas as a quantum simulator for the study of the neutron-star equation of state in the low-density region | P. van Wyk, H. Tajima <i>et al.</i>     |
| 361 | Many Fermi polarons in a strongly interacting polarized mixture  | H. Tajima, S. Uchino                    |
| 362 | Precursor of superfluidity in a strongly interacting Fermi gas with negative effective range                                     | H. Tajima                               |
| 363 | Relativistic Brueckner-Hartree-Fock theory for neutron drops   | S. Shen, H. Liang <i>et al.</i>         |
| 364 | Spin symmetry in the Dirac sea derived from the bare nucleon-nucleon interaction   | S. Shen, H. Liang <i>et al.</i>         |
| 365 | Stress-tensor distribution in Yang-Mills flux tube – Direct observation on the Lattice with gradient flow –                      | R. Yanagihara, T. Iritani <i>et al.</i> |
| 366 | On the observer dependence of the Hilbert space near the horizon of black holes  | K. Gotoa, Y. Kazama                     |
| 367 | Continuity of vortices from the hadronic to the color-favor-locked phase in dense matter   | M. G. Alford, G. Baym <i>et al.</i>     |
| 368 | Non-equilibrium chiral magnetic/vortical effects in viscous fluids   | D. Yang, Y. Hidaka                      |
| 369 | Effects of tensor force in the relativistic scheme: A case study of neutron drops  | S. Shen, H. Liang <i>et al.</i>         |
| 370 | Systematics of the HAL QCD potential at low energies in lattice QCD  | T. Iritani, S. Aoki <i>et al.</i>       |
| 371 | Heavy quark spin multiplet structure of $\bar{P}^{(*)}\Sigma_Q^{(*)}$ molecular states   | Y. Shimizu, Y. Yamaguchi, M. Harada     |
| 372 | Image-processing the topological charge density in the $\mathbb{C}P^{N-1}$ model   | Y. Abe, K. Fukushima <i>et al.</i>      |

## CNS-REP

|    |                        |                    |
|----|------------------------|--------------------|
| 96 | CNS Annual Report 2016 | T. Gunji, Y. Kishi |
|----|------------------------|--------------------|

*Nishina Center Preprint server* (not including Partner Institution) can be found at

<http://nishina-preprints.riken.jp/>