

## Nuclear Science and Transmutation Research Division

### Spin isospin Laboratory

#### 1. Abstract

The Spin Isospin Laboratory pursues research activities putting primary focus on interplay of spin and isospin in exotic nuclei. Understanding nucleosyntheses in the universe, especially those in  $r$ - and  $rp$ -processes is another big goal of our laboratory.

Investigations on isospin dependences of nuclear equation of state, spin-isospin responses of exotic nuclei, occurrence of various correlations at low-densities, evolution of spin-orbit coupling are main subjects along the line. We are leading a mass measurement project with the Rare RI Ring project, too. Through the experimental studies, we will be able to elucidate a variety of nuclear phenomena in terms of interplay of spin and isospin, which will in turn, lead us to better understanding of our universe.

#### 2. Major Research Subjects

- (1) Direct reaction studies of neutron-matter equation of state
- (2) Study of spin-isospin responses with RI-beams
- (3)  $r$ -process nucleosynthesis study with heavy-ion storage ring
- (4) Application of spin-polarization technique to RI-beam experiments and other fields
- (5) Development of special targets for RI-beam experiments

#### 3. Summary of Research Activity

##### (1) Direct reaction studies of neutron matter equation of state

Direct reactions induced by light-ions serve as powerful tools to investigate various aspects of nuclei. We are advancing experimental programs to explore equation of state of neutron matter, via light-ion induced reactions with RI-beams.

##### (1-1) Determination of a neutron skin thickness by proton elastic scattering

A neutron skin thickness is known to have strong relevance to asymmetry terms of nuclear equation of state, especially to a term proportional to density. The ESPRI project aims at determining density distributions in exotic nuclei precisely by proton elastic scattering at 200–300 MeV/nucleon. An experiment for  $^{132}\text{Sn}$  that is a flagship in this project has been successfully performed.

##### (1-2) Asymmetry terms in nuclear incompressibility

Nuclear incompressibility represents stiffness of nuclear matter. Incompressibility of symmetric nuclear matter is determined to be  $230 \pm 20$  MeV, but its isospin dependence still has a large uncertainty at present. A direct approach to the incompressibility of asymmetric nuclear matter is an experimental determination of energies of isoscalar giant monopole resonances (GMR) in heavy nuclei. We have developed, in close collaboration with Center for Nuclear Study (CNS) of University of Tokyo, an active gas target for deuteron inelastic scattering experiments to determine GMR energies. The active gas target has been already tested with oxygen and xenon beams at HIMAC and finally has been applied to a  $^{132}\text{Sn}$  experiment at RIBF.

##### (1-3) Multi-neutron and $\alpha$ -cluster correlations at low densities

Occurrences of multi-neutron and  $\alpha$ -cluster correlations are other interesting aspects of nuclear matter and define its low-density behavior. The multi-neutron and  $\alpha$ -cluster correlations can be investigated with the large-acceptance SAMURAI spectrometer. The SAMURAI has been already applied to experiments to explore light neutron-rich nuclei close to the dripline. We plan to reinforce experimental capabilities of the SAMURAI by introducing advanced devices such as MINOS (Saclay) and NeuLAND (GSI).

##### (1-4) Fission barrier heights in neutron-rich heavy nuclei

The symmetry energy has a strong influence on fission barrier heights in neutron-rich nuclei. Knowledge on the fission barrier heights, which is quite poor at present, is quite important for our proper understanding on termination of the  $r$ -process. We are planning to perform, in collaboration with the TU Munich group,  $(p, 2p)$ -delayed fission experiments at the SAMURAI to determine the fission barrier heights in neutron-rich nuclei in Pb region.

##### (2) Study of spin-isospin responses with RI-beams

The study of spin-isospin responses in nuclei forms one of the important cores of nuclear physics. A variety of collective states, for example isovector giant dipole resonances, isobaric analogue states, Gamow-Teller resonances, have been extensively studied by use of electromagnetic and hadronic reactions from stable targets.

The research opportunities can be largely enhanced with light of availabilities of radioactive isotope (RI) beams and of physics of unstable nuclei. There are three possible directions to proceed. The first direction is studies of spin-isospin responses of unstable nuclei via inverse-kinematics charge exchange reactions. A neutron-detector array WINDS has been constructed, under a collaboration of CNS, Tokyo and RIKEN, for inverse kinematics  $(p, n)$  experiments at the RI Beam Factory. We have already applied WINDS to the  $(p, n)$  experiments for  $^{12}\text{Be}$ ,  $^{132}\text{Sn}$  and plan to extend this kind of study to other exotic nuclei.

The second direction is studies with RI-beam induced charge exchange reaction. RI-beam induced reactions have unique properties which are missing in stable-beam induced reactions and can be used to reach the yet-to-be-discovered states. We have constructed the SHARAQ spectrometer and the high-resolution beam-line at the RI Beam Factory to pursue the capabilities of RI-beam induced reactions as new probes to nuclei. One of the highlights is an observation of  $\beta^+$  type isovector spin monopole resonances (IVSMR) in  $^{208}\text{Pb}$  and  $^{90}\text{Zr}$  via the  $(t, ^3\text{He})$  reaction at 300 MeV/nucleon.

The third direction is studies of neutron- and proton-rich nuclei via stable-beam induced charge exchange reactions, which is conducted under collaboration with Research Center for Nuclear Physics (RCNP), Osaka University. We have performed the double

charge exchange  $^{12}\text{C}(^{18}\text{O}, ^{18}\text{Ne})^{12}\text{Be}$  reaction at 80 MeV/nucleon to investigate structure of a neutron-rich  $^{12}\text{Be}$  nucleus. Peaks corresponding to ground and excited levels in  $^{12}\text{Be}$  have been clearly observed. Another double charge exchange reaction, ( $^{12}\text{C}, ^{12}\text{Be}(0_2^+)$ ) are being used to search for double Gamow-Teller resonances.

### (3) *r*-process nucleosynthesis study with heavy-ion storage ring

Most of the *r*-process nuclei become within reach of experimental studies for the first time at RI Beam Factory at RIKEN. The Rare RI Ring at RIBF is the unique facility with which we can perform mass measurements of *r*-process nuclei. Construction of the Rare RI Ring started in FY2012 in collaboration with Tsukuba and Saitama Universities. A major part of the ring has been completed and the commissioning run is planned in FY2014.

We are planning to start precise mass measurements of *r*-process nuclei soon. A series of experiments will start with nuclei in the  $A = 80$  region and will be extended to heavier region.

### (4) Application of spin-polarization technique to RI-beam experiments and other fields

A technique to produce nuclear polarization by means of electron polarization in photo-excited triplet states of aromatic molecules can open new applications. The technique is called "Triplet-DNP." A distinguished feature of Triplet-DNP is that it works under a low magnetic field of 0.1–0.7 T and temperature higher than 100 K, which exhibits a striking contrast to standard dynamic nuclear polarization (DNP) techniques working in extreme conditions of several Tesla and sub-Kelvin.

We have constructed a polarized proton target system for use in RI-beam experiments. Recent experimental and theoretical studies have revealed that spin degrees of freedom play a vital role in exotic nuclei. Tensor force effects on the evolution of shell and possible occurrence of *p-n* pairing in the proton-rich region are good examples of manifestations of spin degrees of freedom. Experiments with the target system allow us to explore the spin effects in exotic nuclei. It should be noted that we have recently achieved a proton polarization of 40% at room temperature in a pentacene- $\text{d}_{14}$  doped *p*-terphenyl crystal.

Another interesting application of Triplet-DNP is sensitivity enhancement in NMR spectroscopy of biomolecules. We started a new project to apply the Triplet-DNP technique to study protein-protein interaction via two-dimensional NMR spectroscopy, in close collaboration with biologists and chemists.

### (5) Development of special targets for RI-beam experiments

For the research activities shown above, we are developing and hosting special targets for RI-beam experiments listed below:

- Polarized proton target (described in (4))
- Thin solid hydrogen target
- MINOS (developed at Saclay and hosted by the Spin Isospin Laboratory)

## Members

### Director

Tomohiro UESAKA

### Senior Research Scientists

Masaki SASANO

Ken-ichiro YONEDA

Juzo ZENIHIRO

### Research Scientists

Sarah NAIMI

Kenichiro TATEISHI

### Research & Development Scientist

Yohei SHIMIZU

### Postdoctoral Researcher

Junki TANAKA

### Junior Research Associates

Shutaro HANAI

Tomoya HARADA

### International Program Associates

Siwei HUANG

Yutian LI

### Research Consultants

Harutaka SAKAGUCHI (Osaka Univ.)

Yasuyuki SUZUKI

Kazuko TANABE

**Senior Visiting Scientist**

Hiroyuki SAGAWA (Univ. of Aizu)

**Visiting Scientists**

Satoshi ADACHI (Osaka Univ.)  
 Hidetoshi AKIMUNE (Konan Univ.)  
 Didier BEAUMEL (Inst. de Phys.Nucl.)  
 Konstanze BORETZKY (GSI)  
 Anna CORSI (CEA Saclay)  
 Masanori DOZONO (Kyoto Univ.)  
 Zoltan ELEKES (ATOMKI)  
 Zsolt FULOP (ATOMKI)  
 Tatsuya FURUNO (Osaka Univ.)  
 Igor GASPARIĆ (Rudjer Boskovic Inst.)  
 Valdir GUMARAES (Inst.o de Fisica da Univ. de Sao Paulo)  
 Zoltan HALASZ (ATOMKI)  
 Kaori KAKI (Shizuoka Univ.)  
 Takahiro KAWABATA (Osaka Univ.)  
 Yuma KIKUCHI (NIT, Tokuyama College)  
 Yosuke KONDO (Tokyo Tech)  
 Zeren KORKULU (Inst. for Basic Sci. (IBS))  
 Attila KRASZNAHORKAY (ATOMKI)  
 Dorottya KUNNE SOHLER (ATOMKI)  
 Istvan KUTI (ATOMKI)  
 Valerie LAPOUX (Inst.ion CEA-Saclay)  
 Yury LITVINOV (GSI)  
 Hongna LIU (TU Darmstadt)  
 Yohei MATSUDA (Konan Univ.)

Kenjiro MIKI (Tohoku Univ.)  
 Tetsuaki MORIGUCHI (Tsukuba Univ.)  
 Sarah NAIMI (IJCLab (Laboratoire de physique des 2 infinis -  
 Irene Joliot-Curie))  
 Takashi NAKAMURA (Tokyo Tech)  
 Noritsugu NAKATSUKA (Tokyo Tech)  
 Alexandre OBERTELLI (TU Darmstadt)  
 Kazuyuki OGATA (Osaka Univ.)  
 Valerii PANIN (GSI)  
 Aldric REVEL (CEA Saclay)  
 Kimiko SEKIGUCHI (Tokyo Tech)  
 Laszlo STUHL (Inst. for Basic Sci. (IBS))  
 Baohua SUN (Beihang Univ.)  
 Yelei SUN (TU Darmstadt)  
 Shinji SUZUKI (Chinese Academy of Sci.)  
 Satoru TERASHIMA (Beihang Univ.)  
 Yasuhiro TOGANO (Rikkyo Univ.)  
 Takashi WAKUI (QST)  
 Atomu WATANABE (JSPS)  
 Takayuki YAMAGUCHI (Saitama Univ.)  
 Zaihong YANG (Osaka Univ.)  
 Juzo ZENIHIRO (Kyoto Univ.)  
 Yuhu ZHANG (IMP, CAS)

**Visiting Technicians**

Denis CALVET (CEA)  
 Alain DELBART (CEA/CE Saclay)  
 Clement HILAIRE (CEA Saclay)

Shoji SUZUKI (KEK)  
 Olivier TELLIER (CEA Saclay)

**Student Trainees**

Tomoki ADACHI (Kyushu Univ.)  
 Sota ANDO (Kyushu Univ.)  
 Paul ANDRE (CEA Saclay)  
 Naoki EBINA (Tokyo Tech)  
 Shiyo EN'YO (Kyoto Univ.)  
 Yuki FUJIKAWA (Kyoto Univ.)  
 Saiya FUJIWARA (Kyushu Univ.)  
 Jian GAO (Peking Univ.)  
 Shutaro HANAI (Univ. of Tokyo)  
 Sakumi HARAYAMA (Saitama Univ.)  
 Koshi HIGUCHI (Saitama Univ.)  
 Kouta HORIKAWA (Tokyo Tech)  
 Kento INABA (Kyoto Univ.)  
 Kakeru ISOBE (Tokyo Tech)  
 Koki KAMEYA (Tohoku Univ.)  
 Naoto KANAME (Tsukuba Univ.)  
 Masanori KANDA (Saitama Univ.)  
 Fumiya KAWAGUCHI (Tokyo Tech)  
 Yusuke KAWASHIMA (Kyushu Univ.)  
 Kanki KISHIMOTO (Kyushu Univ.)  
 Sho KITAYAMA (Tohoku Univ.)  
 Yukari KOIZUMI (Saitama Univ.)  
 Hyeji LEE (Tokyo Tech)  
 Hongfu LI (IMP, CAS)

Yoshiki MARUTA (Tohoku Univ.)  
 Takaya MATSUI (Tohoku Univ.)  
 Tomoki MATSUI (Tokyo Tech)  
 Riku MATSUMURA (Saitama Univ.)  
 Atsuyuki MORIYAMA (Tsukuba Univ.)  
 Shintaro OKAMOTO (Kyoto Univ.)  
 Kengo OKUBO (Saitama Univ.)  
 Misaki OTSU (Saitama Univ.)  
 Yuko SAITO (Tohoku Univ.)  
 Kosuke SAKANASHI (Osaka Univ.)  
 Kenta SASAKI (Saitama Univ.)  
 Hibiki SEKI (Saitama Univ.)  
 Yusuke SHINOHARA (Kyushu Univ.)  
 Naru SHINOZAKI (Saitama Univ.)  
 Kohei TAKAHASHI (Tokyo Tech)  
 Ryotaro TSUJI (Kyoto Univ.)  
 Ren URAYAMA (Tohoku Univ.)  
 Kanta YAHIRO (Kyoto Univ.)  
 Kohei YAMAMOTO (Tohoku Univ.)  
 Wataru YAMASHITA (Kyushu Univ.)  
 Asahi YANO (Tsukuba Univ.)  
 Nozomi YOKOTA (Kyushu Univ.)  
 Chieko YONEMURA (Kyushu Univ.)  
 Ryohsuke YOSHIDA (Kyoto Univ.)

## Assistants

Emiko ISOGAI

Yuri TSUBURAI

## List of Publications &amp; Presentations

## Publications

## [Original Papers]

- M. Holl, S. Lindberg, A. Heinz, Y. Kondo, T. Nakamura, J. A. Tostevin, H. Wang, T. Nilsson, N. L. Achouri, H. Al Falou, L. Atar, T. Aumann, H. Baba, K. Boretzky, C. Caesar, D. Calvet, H. Chae, N. Chiga, A. Corsi, H. L. Crawford, F. Delaunay, A. Delbart, Q. Deshayes, P. Díaz Fernández, Z. Dombrádi, C. A. Douma, Z. Elekes, P. Fallon, I. Gašparić, J. -M. Gheller, J. Gibelin, A. Gillibert, M. N. Harakeh, A. Hirayama, C. R. Hoffman, A. Horvat, Á. Horváth, J. W. Hwang, T. Isobe, J. Kahlbow, N. Kalantar-Nayestanaki, S. Kawase, S. Kim, K. Kisamori, T. Kobayashi, D. Körper, S. Koyama, I. Kuti, V. Lapoux, F. M. Marqués, S. Masuoka, J. Mayer, K. Miki, T. Murakami, M. Najafi, K. Nakano, N. Nakatsuka, A. Obertelli, F. de Oliveira Santos, N. A. Orr, H. Otsu, T. Ozaki, V. Panin, S. Paschalis, A. Revel, D. Rossi, A. T. Saito, T. Y. Saito, M. Sasano, H. Sato, Y. Satou, H. Scheit, F. Schindler, P. Schrock, M. Shikata, Y. Shimizu, H. Simon, D. Sohler, O. Sorlin, L. Stuhl, S. Takeuchi, M. Tanaka, M. Thoennessen, H. Törnqvist, Y. Togano, T. Tomai, J. Tscheuschner, J. Tsubota, T. Uesaka, Z. Yang, M. Yasuda, and K. Yoneda, "Border of the island of inversion: Unbound states in  $^{29}\text{Ne}$ ," *Phys. Rev. C* **105**, 034301 (2022).
- L. Olivier, R. Orlandi, Z. Patel, Zs. Podolyák, M. Rudigier, T. Saito, C. Shand, P. -A. Söderström, I. Stefan, V. Vaquero, V. Werner, K. Wimmer, and Z. Xu, " $\gamma$ -ray spectroscopy of low-lying yrast and non-yrast states in neutron-rich  $^{94,95,96}\text{Kr}$ ," *Phys. Rev. C* **105**, 024302 (2022).
- M. Janek, V. P. Ladygin, A. V. Averyanov, E. V. Chernykh, D. D. Enache, Y. V. Gurchin, A. Yu. Isupov, J. -T. Karachuk, A. N. Khrenov, D. O. Krivenkov, P. K. Kurilkin, N. B. Ladygina, A. N. Livanov, O. Mezhenska, S. M. Piyadin, S. G. Reznikov, Y. T. Skhomenko, A. A. Terekhin, A. V. Tishevsky, T. Uesaka, and I. S. Volkov, "Study of the dp elastic and dp breakup complementary processes using polarized and unpolarized beam of nuclotron," *Few-Body Syst.* **63**, 3 (2022).
- A. Watanabe, S. Nakai, Y. Wada, K. Sekiguchi, T. Akieda, D. Etoh, M. Inoue, Y. Inoue, K. Kawahara, H. Kon, K. Miki, T. Mukai, D. Sakai, S. Shibuya, Y. Shiokawa, T. Taguchi, H. Umetsu, Y. Utsuki, M. Watanabe, S. Goto, K. Hatanaka, Y. Hirai, Y. Ikeda, T. Ino, D. Inomoto, S. Ishikawa, M. Itoh, H. Kanda, H. Kasahara, Y. Maeda, S. Mitsumoto, K. Nonaka, H. J. Ong, H. Oshiro, Y. Otake, H. Sakai, A. Taketani, D. T. Tran, T. Uesaka, T. Wakasa, Y. Wakabayashi, and T. Wakui, "Analyzing power measurement for  $p$ - $^3\text{He}$  elastic scattering at intermediate energies," *Few-Body Syst.* **62**, 112 (2021).
- S. W. Huang, Z. H. Yang, F. M. Marqués, N. L. Achouri, D. S. Ahn, T. Aumann, H. Baba, D. Beaumel, M. Böhmer, K. Boretzky, M. Caamaño, S. Chen, N. Chiga, M. L. Cortés, D. Cortina, P. Doornenbal, C. A. Douma, F. Dufter, J. Feng, B. Fernández-Domínguez, Z. Elekes, U. Forsberg, T. Fujino, N. Fukuda, I. Gašparić, Z. Ge, R. Gernhäuser, J. M. Gheller, J. Gibelin, A. Gillibert, Z. Halász, T. Harada, M. N. Harakeh, A. Hirayama, N. Inabe, T. Isobe, J. Kahlbow, N. Kalantar-Nayestanaki, D. Kim, S. Kim, S. Kiyotake, T. Kobayashi, Y. Kondo, P. Koseoglou, Y. Kubota, I. Kuti, C. Lehr, C. Lenain, P. J. Li, Y. Liu, Y. Maeda, S. Masuoka, M. Matsumoto, A. Matta, J. Mayer, H. Miki, M. Miwa, B. Monteagudo, I. Murray, T. Nakamura, A. Obertelli, N. A. Orr, H. Otsu, V. Panin, S. Park, M. Parlog, S. Paschalis, M. Potlog, S. Reichert, A. Revel, D. Rossi, A. Saito, M. Sasano, H. Sato, H. Scheit, F. Schindler, T. Shimada, Y. Shimizu, S. Shimoura, H. Simon, I. Stefan, S. Storck, L. Stuhl, H. Suzuki, D. Symochko, H. Takeda, S. Takeuchi, J. Tanaka, Y. Togano, T. Tomai, H. T. Törnqvist, E. Tronchin, J. Tscheuschner, T. Uesaka, V. Wagner, K. Wimmer, H. Yamada, B. Yang, L. Yang, Y. Yasuda, K. Yoneda, L. Zanetti, and J. Zenihiro, "Experimental study of  $^4n$  by directly detecting the decay neutrons," *Few-Body Syst.* **62**, 102 (2021).
- B. D. Linh, A. Corsi, A. Gillibert, A. Obertelli, P. Doornenbal, C. Barbieri, S. Chen, L. X. Chung, T. Duguet, M. Gómez-Ramos, J. D. Holt, A. Moro, P. Navrátil, K. Ogata, N. T. T. Phuc, N. Shimizu, V. Somà, Y. Utsuno, N. L. Achouri, H. Baba, F. Browne, D. Calvet, F. Château, N. Chiga, M. L. Cortés, A. Delbart, J. -M. Gheller, A. Giganon, C. Hilaire, T. Isobe, T. Kobayashi, Y. Kubota, V. Lapoux, H. N. Liu, T. Motobayashi, I. Murray, H. Otsu, V. Panin, N. Paul, W. Rodriguez, H. Sakurai, M. Sasano, D. Steppenbeck, L. Stuhl, Y. L. Sun, Y. Togano, T. Uesaka, K. Wimmer, K. Yoneda, O. Aktas, T. Aumann, F. Flavigny, S. Franchoo, I. Gašparić, R. -B. Gerst, J. Gibelin, K. I. Hahn, N. T. Khai, D. Kim, T. Koiwai, Y. Kondo, P. Koseoglou, J. Lee, C. Lehr, T. Lokotko, M. MacCormick, K. Moschner, T. Nakamura, S. Y. Park, D. Rossi, E. Sahin, D. Sohler, P. -A. Söderström, S. Takeuchi, N. D. Ton, H. Törnqvist, V. Vaquero, V. Wagner, H. Wang, V. Werner, X. Xu, Y. Yamada, D. Yan, Z. Yang, M. Yasuda, and L. Zanetti, "Investigation of the ground-state spin inversion in the neutron-rich  $^{47,49}\text{Cl}$  isotopes," *Phys. Rev. C* **104**, 044331 (2021).
- K. Inaba, Y. Sasamoto, T. Kawabata, M. Fujiwara, Y. Funaki, K. Hatanaka, K. Itoh, M. Itoh, K. Kawase, H. Matsubara, Y. Maeda, K. Suda, S. Sakaguchi, Y. Shimizu, A. Tamii, Y. Tameshige, M. Uchida, T. Uesaka, T. Yamada, and H. P. Yoshida, "Search for  $\alpha$  condensed states in  $^{13}\text{C}$  using  $\alpha$  inelastic scattering," *Prog. Theor. Exp. Phys.* **9**, 093D01 (2021).
- F. Browne, S. Chen, P. Doornenbal, A. Obertelli, K. Ogata, Y. Utsuno, K. Yoshida, N. L. Achouri, H. Baba, D. Calvet, F. Château, N. Chiga, A. Corsi, M. L. Cortés, A. Delbart, J. -M. Gheller, A. Giganon, A. Gillibert, C. Hilaire, T. Isobe, T. Kobayashi, Y. Kubota, V. Lapoux, H. N. Liu, T. Motobayashi, I. Murray, H. Otsu, V. Panin, N. Paul, W. Rodriguez, H. Sakurai, M. Sasano, D. Steppenbeck, L. Stuhl, Y. L. Sun, Y. Togano, T. Uesaka, K. Wimmer, K. Yoneda, O. Aktas, T. Aumann, K. Boretzky, C. Caesar, L. X. Chung, F. Flavigny, S. Franchoo, I. Gasparic, R. -B. Gerst, J. Gibelin, K. I. Hahn, M. Holl, J. Kahlbow, D. Kim, D. Körper, T. Koiwai, Y. Kondo, P. Koseoglou, J. Lee, C. Lehr, B. D. Linh, T. Lokotko, M. MacCormick, K. Miki, K. Moschner, T. Nakamura, S. Y. Park, D. Rossi, E. Sahin, F. Schindler, H. Simon, P. -A. Söderström, D. Sohler, S. Takeuchi, H. Törnqvist, J. Tscheuschner, V. Vaquero, V. Wagner, S. Wang, V. Werner, X. Xu, H. Yamada, D. Yan, Z. Yang, M. Yasuda, and L. Zanetti, "Pairing forces govern population of doubly magic  $^{54}\text{Ca}$  from direct reactions," *Phys. Rev. Lett.* **126**, 252501 (2021).
- M. M. Juhász, Z. Elekes, D. Sohler, K. Sieja, K. Yoshida, K. Ogata, P. Doornenbal, A. Obertelli, H. Baba, F. Browne, D. Calvet, F. Château, S. Chen, N. Chiga, A. Corsi, M. L. Cortés, A. Delbart, J. -M. Gheller, A. Giganon, A. Gillibert, C. Hilaire, T. Isobe, T. Kobayashi,

- Y. Kubota, V. Lapoux, T. Motobayashi, I. Murray, H. Otsu, V. Panin, N. Paul, W. Rodriguez, H. Sakurai, M. Sasano, D. Steppenbeck, L. Stuhl, Y. L. Sun, Y. Togano, T. Uesaka, K. Wimmer, K. Yoneda, N. L. Achouri, O. Aktas, T. Aumann, L. X. Chung, Zs. Dombrádi, F. Flavigny, S. Franchoo, I. Gašparić, R. -B. Gerst, J. Gibelin, K. I. Hahn, D. Kim, T. Koiwai, Y. Kondo, P. Koseoglou, J. Lee, C. Lehr, B. D. Linh, H. N. Liu, T. Lokotko, M. MacCormick, K. Moschner, T. Nakamura, S. Y. Park, D. Rossi, E. Sahin, P. -A. Söderström, S. Takeuchi, H. Törnqvist, V. Vaquero, V. Wagner, S. Wang, V. Werner, X. Xu, H. Yamada, D. Yan, Z. Yang, M. Yasuda, and L. Zanetti, “First spectroscopic study of  $^{63}\text{V}$  at the  $N = 40$  island of inversion,” *Phys. Rev. C* **103**, 064308 (2021).
- M. M. Juhász, Z. Elekesa, D. Sohler, Y. Utsuno, K. Yoshida, T. Otsuka, K. Ogatagh, P. Doornenbal, A. Obertelli, H. Baba, F. Browne, D. Calvet, F. Château, S. Chen, N. Chiga, A. Corsi, M. L. Cortés, A. Delbart, J. -M. Gheller, A. Giganon, A. Gillibert, C. Hilaire, T. Isobe, T. Kobayashi, Y. Kubota, V. Lapoux, T. Motobayashi, I. Murray, H. Otsu, V. Panin, N. Paul, W. Rodriguez, H. Sakurai, M. Sasano, D. Steppenbeck, L. Stuhl, Y. L. Sun, Y. Togano, T. Uesaka, K. Wimmers, K. Yoneda, N. L. Achouri, O. Aktas, T. Aumann, L. X. Chung, Zs. Dombrádi, F. Flavigny, S. Franchoo, I. Gašparić, R. -B. Gerst, J. Gibelin, K. I. Hahn, D. Kim, T. Koiwai, Y. Kondo, P. Koseoglou, J. Lee, C. Lehr, B. D. Linh, H. N. Liu, T. Lokotko, M. MacCormick, K. Moschner, T. Nakamura, S. Y. Park, D. Rossi, E. Sahin, P. -A. Söderström, S. Takeuchi, H. Törnqvist, V. Vaquero, V. Wagner, S. Wang, V. Werner, X. Xu, H. Yamada, D. Yan, Z. Yang, M. Yasuda, and L. Zanetti, “First spectroscopic study of  $^{51}\text{Ar}$  by the  $(p, 2p)$  reaction,” *Phys. Lett. B* **814**, 136108 (2021).
- T. Aumann, C. Barbieri, D. Bazin, C. A. Bertulani, A. Bonaccorso, W. H. Dickhoff, A. Gade, M. Gómez-Ramos, B. P. Kay, A. M. Moro, T. Nakamura, A. Obertelli, K. Ogata, S. Paschalis, and T. Uesaka, “Quenching of single-particle strength from direct reactions with stable and rare-isotope beams,” *Prog. Part. Nucl. Phys.* **118**, 103847 (2021).
- P. Ascher, L. Daudin, M. Flayol, M. Gerbaux, S. Grévy, M. Hukkanen, A. Husson, A. de Roubin, P. Alfaut, B. Blank, K. Blaum, B. Lachacinski, D. Lunney, E. Minaya Ramirez, S. Naimi, S. Perard, and B. Thomas, “PIPERADE: A double Penning trap for mass separation and mass spectrometry at DESIR/SPIRAL2,” *Nucl. Instrum. Methods Phys. Res. A* **1019**, 165857 (2021).
- J. Tanaka, Z. Yang, S. Typel, S. Adachi, S. Bai, P. van Beek, D. Beaumel, Y. Fujikawa, J. Han, S. Heil, S. Huang, A. Inoue, Y. Jiang, M. Knösel, N. Kobayashi, Y. Kubota, W. Liu, J. Lou, Y. Maeda, Y. Matsuda, K. Miki, S. Nakamura, K. Ogata, V. Panin, H. Scheit, F. Schindler, P. Schrock, D. Symochko, A. Tamii, T. Uesaka, V. Wagner, K. Yoshida, J. Zenihiro, and T. Aumann, “Formation of  $\alpha$  clusters in dilute neutron-rich matter,” *Science* **371**, 260 (2021).
- J. Zenihiro, T. Uesaka, H. Sagawa, and S. Yoshida, “Proton density polarization of the doubly magic  $^{40}\text{Ca}$  core in  $^{48}\text{Ca}$  and EoS parameters,” *Prog. Theor. Exp. Phys.* **4**, 049301 (2021).

**[Book]**

A. Obertelli and H. Sagawa, “Modern Nuclear Physics: From Fundamentals to Frontiers,” Springer Nature Singapore, 2022.

**Presentations****[International Conference/Workshop]**

T. Uesaka, “Knock-out reaction studies of clustering in heavy nuclei—ONOKORO project—”, C2R2 Seminar, Online & IBS CENS, Korea, July 8, 2021.

**[Domestic Conference/Workshop]**

佐川弘幸 (口頭発表), 「IV density and Isospin Symmetry Breaking (ISB) forces in  $N = Z$  nuclei」, 第 7 回クラスター階層領域研究会, 大阪大学核物理研究センター, 2021 年 12 月 27 日.

**[Seminar]**

上坂友洋, 久保田祐樹, 「ノックアウト反応による大ニュートロンの空間構造抽出」, 物質階層を横断する会, オンライン, 2021 年 7 月 30 日.

**Outreach Activity**

上坂友洋, 「元素をつくる『巨大地下工場』～工学が支える研究の現場に潜入!～」, IEEE ウェビナーシリーズ第 24 回 Engineering Spotlight, 2022 年 2 月 20 日.